An Innovative Requirements Solution: Combining Six Sigma KJ Language Data Analysis with Automated Content Analysis

Ira A. Monarch
Dennis R. Goldenson
Robert W. Stoddard

SEPGSM 2009 North America

Perform at a Higher Level

March 23-26
San Jose California

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding an DMB control number.	ion of information. Send comments arters Services, Directorate for Info	s regarding this burden estimate ormation Operations and Reports	or any other aspect of the s, 1215 Jefferson Davis	nis collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE MAR 2009 2. REPORT TYL		2. REPORT TYPE		3. DATES COVERED 00-00-2009		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
An Innovative Requirements Solution: Combining Six Sigma KJ Language Data Analysis with Automated Content Analysis				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Carnegie Mellon University,Software Engineering Institute,Pittsburgh,PA,15213				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAIL Approved for publ	ABILITY STATEMENT ic release; distributi	on unlimited				
13. SUPPLEMENTARY NO	OTES					
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	31		

Report Documentation Page

Form Approved OMB No. 0704-0188

Requirements Engineering Challenge:

Applying Measurement & Analysis to Qualitative Problems

Users & customers often have unrealistic performance expectations.*

To meet this challenge in military acquisition, it is not enough that

- program managers begin to collect unbiased data to analyze project costs & projections.
- programs perform technology maturation activities, competitive prototyping or Preliminary Design Reviews (PDRs).

Most importantly,

- Mutual understanding of capabilities in context & what it takes to enable them
 need to be established before a project is initiated among those who
 - determine what capabilities are needed
 - write requirement specifications
 - acquire the systems that meet specifications,

so that appropriate measures of performance & other *quality attributes* of the capabilities & their enabling systems can be determined and aligned.

* OPINION: Reforms for the Department of Defense, by Sen. Carl Levin (D-MI), Niles Star, Michigan, 03/11/2009 re the Levin-McCain 2009 Weapons Systems Acquisition Reform Bill



A Promising Solution


A key to understanding *quality attributes* is handling qualitative data, which in large part is language data, & making it quantitative.

Two complementary language data techniques are being used

- KJ Analysis
 - Structured methods for eliciting & clarifying/interpreting semantic meaning of textual information
 - That automated text analysis simply does not have
- Semi-automated content analysis based on automated text analysis
 - Enables more input from more stakeholders and identifies concepts in common that enables consistent applications of KJ across time & sites


Merging the two allows understanding of language data crucial for requirements & their measured validation.

Language Data: "The Other Data of Measurement & Analysis"* for Requirements Engineering





KJ – a Method for Collaborative Processing of Language Data



Adopted from David Hallowell, Language Data: The 'Other Data' of Six Sigma: Part s 1 & 2," http://www.isixsigma.com/library/content/c040303b.asp



Distilling Meaning in Language Data: Benefits of Combining KJ with Automated Content Analysis

Content analysis (CA) methods to analyze large bodies of textual documentation have existed for over seventy years, but until recently were predominantly manual.

- They were used during World War II to predict the bombing of London by analyzing Joseph Goebbels' speeches.
- However, humans cannot read & digest all the documents & recognize *all* the patterns that machines are getting increasingly better at doing.
- Yet humans must interpret the meaning, or lack thereof, of what machines can find.

Benefits of Combining CA & KJ

- Automated text analysis can process a much richer body of information & provide common concepts for KJ participants to establish consistency from group to group.
- KJ analysis provides a framework for collaborative interpretation of concept maps produced by CA.

Upshot: The combination is a hybrid that alters both CA & KJ but that generates insights that neither could produce alone.

Insuring Consistency & Completeness Across KJ Settings is a Problem

To date, KJ analysis has been applied in small, face-to-face one-day workshops where both customer and technologist points of view are represented.

One worry is that results might be quite different if different representatives were assembled on a different day.

An automated language or content analysis approach is being developed to supplement the KJ method so that

- a significantly larger group of individuals in geographically disparate locations can participate asynchronously.
- additional textual information is captured beyond that in KJ face-to-face sessions:
 - documentation in the form of requirement descriptions & specifications
 - problem and defect report databases
 - open text surveys
- there is more confidence that results are complete and repeatable.

Content Analysis & Concept Maps – a Language Data Computational Processing Method


CA uses automated text analysis tools to identify recurring concepts & clusters of concepts:

Concepts are synonyms of strongly related co-occurring terms


- constituted in automatically generated affinity lists
- named by most representative term in affinity list
- Concept Clusters are collections concepts of similar co-occurrence patterns
 - more strongly related to each other than to concepts in other clusters
 - named by automatic selection of the concept most strongly related to other concepts in the cluster

Concept Clusters are represented graphically as Venn diagrams


- Concept names labeling dots are in concept clusters represented as circles
- dots can be linked by lines whose brightness represents frequency of co-occurrence
- dots can appear in the overlap of two (or more) circles
- circle size does not always indicate importance since circles can be sparsely populated




A CMMI-ACQ Example: Concept Map Clusters



Software Engineering Institute



Handling Language Data Numerically



The most frequent CMMI-ACQ concepts are listed at the left.

The absolute count is the number of text blocks where a concept occurs – highest count set at 100%.

The relative count is the percentage of text blocks concepts occur in.

Not surprisingly for a process model, conceptual traces of **process** are found in the most CMMI-ACQ text blocks.

Project and **organization** are the *next most* significant thematic concepts.

These are followed by product and then supplier all of which are important to the points made previously

All are in the top 10% of concepts appearing in concept maps that follow.

Command & Control Decide Organize Manage risk Validate Targets Establish & maintain unity of effort w/ mission partners Formulate Crisis Assessment Develop Trust Estab & Cultivate Rel w Msn Partners Provide Friendly Force Combat Identification Estab & Cultivate Rel w Partner Orgs Direct Consequence Management Structure organization to mission Select actions Define structure Select course of action Assess Staff Capabilities Select Plan Delegate Authority Ter minate Identify Capabilities Needed Establish rule sets Integrate Capabilities Establish intent and guidance Estab Commanders' Expectations Capability Establish Priorities Foster organizational collaboration Establish Standards Estab Collaboration Policies Establish Rule Sets Estab Collaborative Procedures Area Intuit Understand Recognize Key Triggers Organize Information Modify Actions Develop Knowledge and Situational Awareness Direct Share Knowledge and Situational Awareness Planning Communicate intent and guidance Issue Estimates Analyze problem Issue Priorities Analyze Guidance Issue Rule Sets Review Rule Set Review Situation Provide CONOPS Determine Need for Action Prepare Estimates Synchronize Operations Apply situational understanding Synchronize Execution across Phases Assess Available Capabilities Issue Plans Evaluate Environment Determine Vulnerabilities Establish metrics Determine Opportunities Establish Performance Measures Develop strategy Establish Effectiveness Measures Determine Force Readiness Monitor Determine Resources Adapt Strategy Assess compliance with guidance Align Strategy Assess Employment of Forces Develop Assumptions Assess Manner of Employment Develop Objectives Assess effects Determine End State Assess Battle Damage Review Existing Plans Assess Effects of Deception Plan Develop courses of action Assess Munitions Effects

Combining KJ and CA An Example:

Starting with military capability areas & corresponding documentation

and documentation of systems that may enable essential capabilities,

formulate a Theme Question:

Are there essential planning capabilities not enabled by military systems?

Army BC Planning Aviation Army C2 Missions (PAM) **Army Aviation** Functional Doctrine **Desired Functions** Concept (TP ISP for Mission (FM 6-0 Description (DFD) Planning 525-3.3 2003) 2007 2007)

Assess Performance

Assess guidance

lssess Re-Engagement Requirement

Assess achievement of objectives

Assess Operational Effects of Strategic Communications



Understand Objectives

Establish Selection Criteria

War game courses of actions

Compare courses of actions

Analyze courses of action

Develor Ontions







System

Functions

Combining CA with KJ 2








Iterations = 1000

Army Battle Command – Continuous (Re)Planning (TP 525-3.3 BC Functional Concept)




At the operational and strategic levels, the commander frames the existing conditions by interrelating PMESSII-PT factors (Politics, Military, Economic, Social, Information, Infrastructure, Physical & Time).

At the tactical level, commanders consider METT-TC factors (Mission, Enemy, Terrain & weather, Troops & support, Time available, Civil considerations) wrt what they are learning from accumulating PMESII-PT information covering both friendly forces & enemy forces.

"No battle plan survives contact with the enemy." (Moltke in FM 6-0) After initial planning, framing is referred to as reframing.

Elements of a KJ Template

Theme Question: If there are essential planning capability gaps not covered by the interoperation of Aviation mission planning and information sharing systems, what should be done?




Concepts Used in KJ Templates Derived from Concept Maps

Theme Question: If there are essential planning capability gaps not covered by the interoperation of Aviation mission planning and information sharing systems, what should be done? Theme1 (TP525-3.3 & FM 6-0): An essential planning capability is reframing or adjusting plans during mission execution requires agility dependent on interoperability **SubTheme1.1** TP525-3.3: Pla<u>n</u> reframing during mi data information &METT-TC flexibility & interoperability quitty & interoperability are not explicit& neithe



Misalignment between TP 525-3.3/FM 6-0 & PAM DFD/ISP

Theme Question: Given that there are essential planning capability gaps not covered by the interoperation of Aviation mission planning and information sharing systems, what should be done?




The conditional of the theme question appears to be true, so what should be done?




Given the Misalignment, What Should be Done?

Theme Question: Given that there are essential planning capability gaps not covered by the interoperation of Aviation mission planning and information sharing systems, what should be done?

Theme3: Establish processes for evolution of Aviation planning capabilities & their quality attributes






A preliminary answer is provided in Statements & SubThemes 3.1 & 3.2 formulated in discussion with a few representatives from PEO Aviation.

Elaboration, confirmation & buy-in has to be achieved with many more stakeholders.

More discussions with more Aviation groups is being planned using a mix of KJ and CA methods both synchronously and asynchronously.

Relationships of all Three Themes

Theme Question: Given that there are essential planning capability gaps not covered by the interoperation of Aviation mission planning and information sharing systems, what should be done?



Theme3: Establish processes for evolution of Aviation planning capabilities & their quality attributes

SubTherme3.1:If providing a capability like adjusting plans in-flight is an objective, planning & analysis is needed across programs responsible for the multiple systems enabling the capability

Sensor, planning & information sharing systems are mutually responsible for enabling plan adjustment during light

There are technical, tactical & human limitations on the extent to which planning & missions can be retrained both pre & during light

Multiple systems have to interoperate throughout their evolution


Sub Therme 3.2: Establish a process for defining, o perationalizing & aligning quality attributes like agility & interoperability across combat forces and systems

Agility & interoperability are quality attributes for both combat forces and systems that need to be operationalized & aligned

There are semantic & pragmatic levels of interoperability that need to be reached in ad dition to technical & syntactic levels

Planning & plan reframing provide context for specifying agility & interoperability measures

Scaling Up the Process



Concluding Thoughts

What has been shown is the potential for CA to

- uncover misalignments among documents describing capabilities & systems
- identify quality attributes in these documents that need to be better defined & operationalized

These results can be used in KJ analyses in the form of common concepts that can be combined in statements, subthemes & themes in

- multiple face-to-face interview probing
- collaborative interpretation of concept maps derived from different documents leading to determinations of their alignment or misalignment.

So far this combined use of CA & KJ has shown promise when used informally with a few representatives of military organizations.

The next step is to refine the emerging process with greater numbers of people and documents in multiple settings.

Thank you for your attention!

For further information, please contact:


Ira A. Monarch
iam@sei.cmu.edu
1.412.268.7070

Dennis R. Goldenson dg@sei.cmu.edu

1.412.268.8506


Robert W. Stoddard II rws@sei.cmu.edu
1.412-268

Backup



Software Engineering Institute

Army Command & Control Doctrine (FM 6-0)



Interpreting Analysis of TP 525-3.3 & FM 6-0: Quality attributes need to be specified & operationalized

Plan reframing during **mission** execution is a form of **leader** *agility* (inference from Battle Command graphic TP 525-3.3 and **leaders** cluster in concept map)

 Agility, as it applies to joint C2, has six key elements: robustness, resilience, adaptability, responsiveness, flexibility, and innovation (TP 525-3.3)

Plan adjustment during mission execution is a form of **leader flexibility** (inference from and lead cluster)

 No plan survives intact once contact is made. Tactical flexibility requires flexible leaders capable of adapting to rapidly changing circumstances; and staffs able to recognize significant changes in the situation, and resynchronize the operation by coordinating the changes to alter the plan (FM 6-0).


Agility & flexibility depend on (semantic & pragmatic) interoperability

 in order to share needed information when it is needed & in a form it can be understood and acted on with confidence (TP 525-3.3).

Agility, flexibility & interoperability are battle command quality attributes

- need to be operationalized with numeric thresholds and objectives specified
- Planning & plan reframing provide context for specifying these measures.






Interpreting the Significance of Adjust_Plan in the PAM DFD

Statements in the document do not explicitly commit to **plan adjustments** in-flight.

While the document says

- "The ... interface to the Maneuver Control System (MCS) ... provides the aviation commander with continuous updates of the friendly and enemy situation and allows the commander to rapidly **adjust his plan** to accomplish his assigned mission."
- it also says, "The assigned missions, orders and map data are then transferred down to the air crew level where specific air crew mission planning takes place. This mission information is then loaded into the aircraft systems via hardware or digital radio transfer for use during mission execution."
- In fact, in conversation with aviation mission planning acquisition people, they asserted their system only served pre-flight planning.

High level **interoperability** requirements are stated, but not clearly defined or operationalized with measures specified.



Interpreting the Significance of Interoperability in the PAM ISP

According to the ISP, most of the **interoperability** functions support **data transfer** in various **formats** enabling the **planning** system to be

- the collector & consolidator of all pertinent battlefield information needed for effective aviation missions thereby serving as an information consumer
- capable of in-flight re-targeting and re-planning (though this is only stated once as an objective)

However, supporting data transfer in various formats is syntactic **interoperability** – not semantic or pragmatic **interoperability** needed for in-flight re-targeting & replanning.

Interoperability levels labeled 0, 1 or 2 are used but not defined, let alone operationalized with measures specified.